

# Notice of Allowability

Application No.

10/022,448

Examiner

Craig Miller

Applicant(s)

BODAS, DEVADATTA V.

Art Unit

2857

## -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment filed 22 March 2004.
2. ☒ The allowed claim(s) is/are 28-39 now renumbered 1-12, respectively.
3. ☒ The drawings filed on 13 December 2001 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413), Paper No./Mail Date 18 June 2004.
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_.

1. An examiner's amendment to be record appears below. Should the changes and/or additions be unacceptable to the applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

In the claims:

Cancel claims 1-27 without prejudice.

Authorization for this examiner's amendment was given in a telephone interview with Todd M. Becker on 28 May 2004.

2. The following is an examiner's statement of reasons for allowance:

The prior art of record disclose summing individual power supply requirements to determine minimum system power supply needs, such as in Layton et al. (paragraphs 23-26) where one is told that actual averages of power usage should be monitored and stored as maximum recorded usage requirement, then one should calculate the number of required power supplies by dividing the maximum recorded usage by the power supply rating of each drive and rounding the requirement up by one unit. McPherson discloses (pages 24f) that the effective output of a power transformer is a percentage of the required power input into the transformer (efficiency). However, none of the prior art of record discloses or suggests determining a component power supply requirement for each component comprising a device selected from an actual measured power consumption and a rated maximum power consumption, the selection being based upon measured value to threshold value comparison.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "*Comments on Statement of Reasons for Allowance.*"

Serial No. 10/022,448  
Tech. Center 2857

-3-

3. Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Craig Steven Miller whose telephone number is (571) 272-2219. Art Unit facsimile services are now available at (703) 308-7722.

The Examiner can normally be reached on Mondays, Tuesdays and Thursdays from 7:30am-3:30pm EDT. Should repeated attempts to reach the Examiner be unsuccessful, the Examiner's Supervisor, Marc Hoff may be reached at (571) 272-2216.

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (571) 272-2800.

Craig Steven Miller (ss)  
18 June 2004

  
MARC S. HOFF  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2800